

Technical data sheet F505

Specification Boat-shaped table, 2-part

Dimensions in mm


Total: H: 740

W: 1300/1000

L: 3200

Packaging data Weight: kg 100

Volume: m³ 0,95



Basic equipment		Benefit
Substructure	Three standing frames with a central longitudinal member.	A very robust substructure.
Standing frame	Steel frame with aluminium die-cast cantilever feet. Round tubular steel, 60 mm diameter, with slots to receive the longitudinal member.	Component construction allows economical manufacture with an appealing design.
Tabletop support	Sheet steel stiffened by its U-shaped forms, in the same colour as the table leg.	Highly rigid construction to allow heavy loading of the top, also at the edge.
Longitudinal member	Rectangular steel tubing 80 x 25 mm. Equipped on both sides with suspension hooks to enable connection with the standing frame without the need for tools. Top of member to provide central support of the tabletop. Surface: black coated.	Assembly stages that do not require tools save time. Simple disassembly. The central support prevents the tabletop sagging.
Frame surface	Black coated.	Matches all tabletop surfaces in the range.
Glides	Adjustable glides, black.	These compensate for uneven standing surfaces and ensure the stability of the table at all times.
Tabletop	MDF board 30 mm thick.	A very rigid, robust top.
Shape of top	Boat-shaped, two-part.	Ideal as a solitary table offering a good view of the entire table from all seating positions.
Top surface	Covered in CPL laminate. 0,8 mm thick, highly scratch-resistant, lightfast, good resistance to burning cigarette stubs. Light grey finish.	Surface ideal for rough use. Long-term safeguarding of investment.
Top underside	Backing material in the same quality as the surface.	Protects the top from warping.
Tabletop edge	ABS, 3 mm thick, colour matched to the top surface. The edges are bevelled to approx. 13 mm (at an acute angle of 30 degrees). The slanted surface is treated with clear varnish.	Bevelling the top edge gives the table a more stylistic appearance.
Connection of substructure to top	The top and the support structure are screwed together by means of a threaded insert set into the table board.	These are strong screw-connections which permit repeated assembly and disassembly.



Technical data sheet F505

Specification Boat-shaped table, 2-part

Dimensions in mm

740 Total: H:

W: 1300/1000

L: 3200

100 Packaging data Weight: kg

0,95 Volume: m³



Warranty and return 10 years warranty. Complete return and Exchange of parts, free of charge, within the guaranteed period.

recycling guarantee.



Technical data sheet F505

Specification Boat-shaped table, 2-part

Dimensions in mm

Accessories

Total: Н٠ 740

W: 1300/1000

L: 3200

100 Packaging data Weight: kg

0,95 Volume: m³



Using tried-and-tested components from renowned

Options Benefit

Frame surface Standing frames are also available in brilliant It is possible to match the frame surface to existing silver The tubular chromed steel legs have chairs.

polished die-cast aluminium feet.

Top surface The wide selection of materials and wood veneers The material can be selected as desired from beech, maple, cherry, walnut, light oak - or clear facilitates individual design and the matching of furniture varnished wood veneer (beech, maple, oak, to existing rooms and furnishings. This gives rise to

cherry, walnut). high-quality ambience.

> Connection box for power supply and data transfer, capable of being turned and tilted in virtually any configuration, cable bushing in plastic or stainless steel, cable duct in drawn

manufacturers enables us to assure function reliability and operational safety.

aluminium section, vertical cable routing etc, available on request.