

Technical data sheet JC262

Specification Swivel armchair high, mesh, FLEXTECH

Dimensions in mm	Backrest:	H:	665
	Seat:	H:	420-530
		W:	500
		D:	460
	Total:	H:	1240
		W (no ArmR):	500
		W (ArmR):	725
		D:	630
Packaging data	Weight:	kg	15,9
	Volume:	m³	0,7



Basic equipment		Benefit
Plastic parts	Colour maintained throughout, black, light grey.	Colourfast and resistant to deep scratches and abrasions.
Backrest	Backrest high mesh-covered, black.	
Upholstery	Seat upholstery: 55 mm foam, upholstery is unglued, ensuring optimal air movement, breathable.	Great seating comfort.
Mechanism	Synchronous mechanism lockable with FLEXTECH Inside. Large opening angle of up to max. 118° between seat and backrest with additional side tilt of 5°.	Synchronous mechanisms of Interstuhl are designed in a way that they help to support optimally the body in every seating position and at the same time they relieve the change between the different seating positions. This is also aided by FLEXTECH and enables dynamic 3D sitting.
Seat height adjustment	Seat height adjustment infinitely variable from 420 - 530 mm. Self-supporting safety gas spring.	Even people outside the DIN range (i.e. taller than 192cm and smaller than 151cm) will sit in the most ergonomic way.
Weight Adjustment	From 40 - 125 kg, infinitely variable.	Full range adjustable with a 360-degree turn of the handwheel. Custom adjustment of the backrest and the counter-pressure to the size and weight of the person sitting in the chair.
Seat inclination	Integrated seat tilt feature thanks to FLEXTECH Inside, 5° to the side, 5° to the front.	The inclination means that the pelvis is at a steeper angle and the spine is straightened, thus preventing rounding of the back. FLEXTECH expands the range of movement in all directions.
Castors Ø 65 mm	Hard double castors, black, load dependent braked, for soft floors. (Acc. to DIN EN 12529).	The chair does not roll away in an off-loaded situation, minimum risk of accident.
Base	Colour maintained throughout polyamide base, black.	Colourfast and resistant to deep scratches and abrasions.
Chair column	Column colour matches the base colour.	Uniform colour scheme for the whole model.
Materials	All materials pure and recyclable.	Environmentally friendly.
Standards	EN 1335 for office swivel chairs and office swivel armchairs. GS-Symobl for tested safety, tested for contaminants, Ergonomics approved. BIFMA tested.	High quality product and great comfort.



Technical data sheet JC262

Specification Swivel armchair high, mesh, FLEXTECH

Dimensions in mm	Backrest:	H:	665
	Seat:	H:	420-530
		W:	500
		D:	460
	Total:	H:	1240
		W (no ArmR):	500
		W (ArmR):	725
		D:	630
Packaging data	Weight:	kg	15,9
	Volume:	m³	0,7



Certification

Warranty

Quality Management System DIN EN ISO 9001:2015, Regulation (EC) no. 1221/2009 (EMAS), Environmental Management System DIN EN ISO 14001:2015, Occupational Health and Safety Management System DIN EN ISO 45001:2018, Energy Management System DIN EN ISO 50001:2018, EcoVadis Gold,

Commitment to sustainability. Blue Angel, Bifma e3 level Platin.

10 year warranty according to our current Quality guaranteed to last for entire product life.

warranty conditions.

High quality product.

JOYCEis3



Technical data sheet JC262

Options

Specification Swivel armchair high, mesh, FLEXTECH

Dimensions in mm	Backrest:	H:	665
	Seat:	H:	420-530
		W:	500
		D:	460
	Total:	H:	1240
		п.	1240
		W (no ArmR):	500
		W (ArmR):	725
		D:	630
Packaging data	Weight:	kg	15,9
	Volume:	m³	0,7



Benefit

Soft double castors, load dependent braked, for hard floors (Acc. to DIN EN 12529).	The chair does not roll away in an off-loaded position, minimum risk of accident.
Polished aluminium and light-grey plastic.	Very high stability, long service life. High-quality look.
Sliding seat for an individual adjustment of the seat depth, 60 mm adjustment.	The seat depth can be individually adjusted to ensure an optimal support surface of the thighs.
Adjustable height.	The height of the lumbar support can be adjusted and adapted to the person sitting in the chair.
2D T-armrests, adjustable height/width. 3D T-armrests, adjustable height/width/depth, soft. 4D T-armrests, adjustable height/width/depth, rotatable, soft. Auto Flow armrests, adjustable height/width, soft surface.	The armrests relieve the neck and shoulder muscles.
Various fabric and leather options available.	Individual design.
Coat hanger, black or light grey.	
	hard floors (Acc. to DIN EN 12529). Polished aluminium and light-grey plastic. Sliding seat for an individual adjustment of the seat depth, 60 mm adjustment. Adjustable height. 2D T-armrests, adjustable height/width. 3D T-armrests, adjustable height/width/depth, soft. 4D T-armrests, adjustable height/width/depth, rotatable, soft. Auto Flow armrests, adjustable height/width, soft surface. Various fabric and leather options available.